


Motori standard
Standard motors
Standardmotoren

TN IE3

 disponibile
available
verfügbar


2 poli

2 poles

50 Hz

2 polig


Dati tecnici / Technical Data / Technische Daten



Taglia Size Größe	P _n		n [rpm]	η [%]	cos φ -	I _n [A]	I _{sp} /I _n -	M _n [Nm]	M _{sp} /M _n -	M _{max} /M _n -	J [kgm ²]	kg
	[kW]	[HP]										
80A	0.75	1	2910	80.7	0.75	1.7	7.8	2.4	4.8	4.4	0.00105	10.8
80B	1.1	1.5	2880	82.7	0.83	2.4	7.4	3.6	4.2	3.9	0.00130	11.5
90S	1.5	2	2880	84.2	0.76	3.4	7.3	5	5.4	5.3	0.00191	14.8
90L	2.2	3	2880	85.9	0.76	4.9	7	7.3	3.9	3.9	0.00240	17.5
100A	3	4	2870	87.1	0.80	6.3	7.6	10	4.7	4.3	0.00407	27
112A	4	5.5	2940	88.1	0.72	9.2	11	13	5.2	6.1	0.00700	32
112B	5.5	7.5	2900	89.2	0.86	11	8.5	18.1	4.3	3.6	0.00750	36
132SA	5.5	7.5	2940	89.2	0.80	11.1	9	17.9	4.8	5.5	0.01570	52.5
132SB	7.5	10.2	2940	90.1	0.86	14.1	9.3	24.4	4.5	4.8	0.01639	59
132MA	11	15	2940	89.4	0.85	20.6	9	35.7	4.2	4.5	0.01873	65
160MA	11	15	2950	91.2	0.83	21.5	11.2	35.7	4.9	5.3	0.04221	91
160MB	15	20	2940	91.9	0.85	28.5	10.8	48.7	4.8	4.6	0.04860	100
160L	18.5	25	2940	92.4	0.88	33.9	7.8	60.1	3.2	3.6	0.05730	112
180M	22	30	2960	92.7	0.85	42	9.3	71	3.8	3	0.08860	145
200LA	30	40	2960	93.3	0.89	56.2	11	96.8	4.3	3.9	0.12080	205

Valori numerici indicativi e non impegnativi / Indicative and non-binding numerical values / Numerische, nicht verbindliche Richtwerte

Disponibili tutte le forme costruttive / All mounting types available / Alle Bauformen verfügbar

Motori standard
Standard motors
Standardmotoren

TN IE3



4 poli

4 poles

50 Hz

4 polig


Dati tecnici / Technical Data / Technische Daten


Taglia Size Größe	P _n		n [rpm]	η [%]	cos φ -	I _n [A]	I _{sp} /I _n -	M _n [Nm]	M _{sp} /M _n -	M _{max} /M _n -	J [kgm ²]	kg
	[kW]	[HP]										
80B	0.75	1	1420	82.5	0.67	2	5.3	5.1	3.7	3.6	0.00285	11.5
90S	1.1	1.5	1430	84.1	0.75	2.6	6.1	7.3	3.5	2.7	0.00300	13.3
90L	1.5	2	1430	85.3	0.76	3.4	7.8	10	4.3	4.1	0.00450	17.5
100A	2.2	3	1440	86.7	0.75	5.1	7.6	14.6	4.3	4.5	0.00680	24.5
100B	3	4	1440	87.7	0.76	7	6.7	20	2.4	2.7	0.00706	28
112A	3	4	1430	87.7	0.83	6.1	6.3	20	2.6	2.7	0.01052	29
112B	4	5.5	1440	88.6	0.79	8.6	6.4	26.5	3	3.1	0.01320	32
132MA	5.5	7.5	1470	89.6	0.69	12	10	35.7	3.6	3.8	0.03040	56
132MB	7.5	10	1460	90.4	0.73	12.5	10.6	49	3.4	3.6	0.03632	69
160L	11	15	1460	91.4	0.79	21.9	7.9	72	3	3.8	0.08380	98
160LB	15	20	1460	92.1	0.79	30	8.4	98	2.9	3.9	0.09200	122
180M	18.5	25	1460	92.6	0.79	37	7.9	121	2.9	3.6	0.14100	136
200L	22	30	1480	93	0.71	52	8.3	142	2.8	3.3	0.15100	182

 Valori numerici indicativi e non impegnativi / *Indicative and non-binding numerical values* / Numerische, nicht verbindliche Richtwerte

 Disponibili tutte le forme costruttive / *All mounting types available* / Alle Bauformen verfügbar

Motori standard
Standard motors
Standardmotoren

TN IE3

 disponibile
available
verfügbar


6 poli

6 poles

6 polig

50 Hz



Taglia Size Größe	Dati tecnici / <i>Technical Data</i> / Technische Daten											
	P _n		n	η	cos φ	I _n	I _{sp} /I _n	M _n	M _{sp} /M _n	M _{max} /M _n	J	kg
	[kW]	[HP]	[rpm]	[%]	-	[A]	-	[Nm]	-	-	[kgm ²]	
90L	0.75	1	940	78.9	0.73	2.2	4.7	7.6	2.6	2.8	0.00398	14
90LB	1.1	1.5	930	81	0.72	2.9	4.7	11.3	2.6	2.8	0.00450	17
100A	1.1	1.5	960	81	0.61	3.2	5.8	11	3.7	4	0.00519	24
100B	1.5	2	955	82.5	0.67	4.2	5.8	15	2.6	2.8	0.00619	27
112A	1.5	2	950	82.5	0.68	4	6.2	15	3.4	3.3	0.00720	34
112B	2.2	3	950	84.3	0.64	6.2	8	22.1	2.3	2.2	0.01330	37
132SA	2.2	3	960	84.3	0.73	5.1	6.1	22.1	3	3	0.01940	44
132SB	3	4	950	85.6	0.76	7.1	4.5	30.2	2.2	2.4	0.02140	46
132MA	4	5.5	960	86.8	0.77	9.1	5.1	39.8	2.5	2.7	0.02688	55
132MB	5.5	7.5	960	88	0.81	13.3	5.6	54.7	2.8	3	0.03430	60
160L	7.5	11	960	89.1	0.78	15.8	7	74.6	3.3	3.6	0.12500	100
180L	11	15	970	90.3	0.78	23.7	6.1	108.3	3.2	3	0.20000	147
200LA	15	20	970	91.2	0.76	31.6	5.8	147.7	2.5	2.8	0.25000	177

 Valori numerici indicativi e non impegnativi / *Indicative and non-binding numerical values* / Numerische, nicht verbindliche Richtwerte

 Disponibili tutte le forme costruttive / *All mounting types available* / Alle Bauformen verfügbar